

# **Engineering Standard**

SAES-T-744 2 May 2012

Design Criteria and Installation of Communication Towers

Document Responsibility: Communications Standards Committee

# Saudi Aramco DeskTop Standards

#### **Table of Contents**

1	Scope	<u>2</u>
2	Conflicts and Deviations	<u>2</u>
3	References	<u>2</u>
4	Adoption	<u>3</u>
5	Design	<u>3</u>
6	Installation	<u>4</u>
7	Testing and Inspection	4

Previous Issue: 10 September 2011 Next Planned Update: 10 September 2016

Revised paragraphs are indicated in the right margin

Primary contact: Nufaii, Abdullah Sufran on 966-3-880-1359

Issue Date: 2 May 2012

Next Planned Update: 10 September 2016 Design Criteria and Installation of Communication Towers

### 1 Scope

1.1 This Standard covers mandatory requirements governing the design and installation of both self-supporting and guyed steel communication towers. This includes antenna towers used for HF, VHF/UHF, microwave, FM/TV broadcasting and CATV.

1.2 This Standard is not applicable to aluminum towers.

#### 2 Conflicts and Deviations

Any deviations, providing less than the mandatory requirements of this standard require written waiver approval as per Saudi Aramco Engineering Procedure <u>SAEP-302</u>.

#### 3 References

The selection of material and equipment, and the design, construction, maintenance, and repair of equipment and facilities covered by this standard shall comply with the latest edition of the references listed below, unless otherwise noted.

#### 3.1 Saudi Aramco References

Saudi Aramco Engineering Procedure

<u>SAEP-302</u>	Instructions for Obtaining a Waiver of a Mandatory
	Saudi Aramco Engineering Requirement

#### Saudi Aramco Engineering Standards

<u>SAES-A-112</u>	Meteorological and Seismic Design Data
<u>SAES-B-063</u>	Aviation Obstruction Marking and Lighting
<u>SAES-H-001</u>	Selection Requirements for Industrial Coatings
<u>SAES-H-101</u>	Approved Protective Coating Systems
<u>SAES-O-102</u>	Category II Fence
<u>SAES-P-111</u>	Grounding
<u>SAES-P-123</u>	Lighting
<u>SAES-Q-001</u>	Criteria for Design and Construction of Concrete Structures
<u>SAES-Q-005</u>	Concrete Foundation
<u>SAES-T-887</u>	Telecommunications: Electrical Coordination – Protection at Power Plants and Radio Stations

Document Responsibility: Communications Standards Committee SAES-T-744

Issue Date: 2 May 2012

Next Planned Update: 10 September 2016

Design Criteria and Installation of Communication Towers

Saudi Aramco Materials System Specifications

<u>09-SAMSS-097</u> Ready-Mixed Portland Cement Concrete

<u>12-SAMSS-007</u> Fabrication of Structural and Miscellaneous Steel

Saudi Aramco Standard Drawing

<u>AA-036391</u> Equipment Grounding System for

Telecommunications Facilities

3.2 Industry Codes and Standards

**Electronic Industries Association** 

TIA/EIA-222-G Structural Standards for Steel Antenna Towers and

Antenna Supporting Structures

# 4 Adoption

- 4.1 The Structural Standards for Steel Antenna Towers and Antenna Supporting Structures, TIA/EIA-222, Edition G, as published by Electronic Industries Association (EIA/TIA) is hereby adopted as Saudi Aramco Engineering Standard SAES-T-744, Design Criteria for Communication Towers.
- 4.2 Deviations to TIA/EIA-222 are identified as exceptions or additions in the design section of this Standard.

# 5 Design

The Structural Standard for Steel Antenna Towers and Antenna Supporting Structures, EIA/TIA-222-G is hereby adopted as Saudi Aramco Engineering Standard SAES-T-744 with the following addition or exception.

- 5.1 All material selection, detailing, shop fabrication, galvanizing, marking for erection, delivery, erection and assembly of steel structures for communications towers shall comply with 12-SAMSS-007.
- 5.2 Painting and protective coatings for steel structures of the towers shall also comply with <u>SAES-H-001</u> and <u>SAES-H-101</u>.
- 5.3 Communications towers shall not contain hollow tubular steel members as part of their structure.
- 5.4 Ice loading shall not be considered in the tower loading calculations.
- 5.5 Section 16, County Listing of Minimum Basic Speeds shall not be considered. The Design Basic wind speed for the location of the tower shall be determined

Document Responsibility: Communications Standards Committee SAES-T-744

Issue Date: 2 May 2012

Next Planned Update: 10 September 2016 Design Criteria and Installation of Communication Towers

from <u>SAES-A-112</u> and according to EIA/TIA-222-G. If such data is not available for a particular location, contact Environmental Engineering Division. 60 miles per hour shall be the operational wind speed requirements for tower structures in Saudi Arabia.

- 5.6 Loading capacity of the tower shall be calculated for the known loading to be on the tower at its commissioning plus any additional loading expected to occur within one year after commissioning.
- 5.7 Foundations and concrete shall comply with <u>09-SAMSS-097</u>, <u>SAES-Q-001</u> and <u>SAES-Q-005</u>.
- To eliminate corrosion, all anchor rods shall be fusion bonded epoxy coated. The coating shall be 500 to 625 micrometers (20 to 25 mils) dry film thickness.
- 5.9 Guyed towers shall not be installed on offshore structures.
- 5.10 All guyed tower masts for communication sites require separate SSD/1 or SSD/2 security fencing for each guy if not included in perimeter security fence for tower. Refer to SAES-O-102.

#### 6 Installation

- All tower legs and anchors shall be bonded to form a grounding electrode system, which shall be bonded to the building grounding system per <u>SAES-P-111</u>, <u>SAES-T-887</u> and Standard Drawing <u>AA-036391</u>.
- 6.2 Each tower leg and anchor shall be identified with labels. The labels shall be located in a clear location such as the bottom of the tower and top of anchor.
- 6.3 Marking and lighting of communications towers shall comply with <u>SAES-B-063</u> and <u>SAES-P-123</u>.

#### 7 Testing and Inspection

Testing and inspection of towers shall be in accordance with Section 14 and Appendix E of EIA/TIA-222-G.

#### **Revision Summary**

10 September 2011 Revised the "Next Planned Update." Reaffirmed the content of the document, and reissued with no other changes.

2 May 2012 Editorial revision to change the primary contact.

2 May 2012 Editorial revision to change the primary contact